

Pen-Based User Interfaces

Lecture #1: Introduction

Fall 2012

Joseph J. LaViola Jr.

Instructor

Professor – **Joseph J. LaViola Jr.**

Email – jjl@eecs.ucf.edu

Office Hours – Tues. 4:00pm – 5:30pm

Wed. 6:00pm – 7:00pm

Office is Harris 321



Website will have all required info

www.eecs.ucf.edu/courses/cap6105/fall2012/

Class Goals

- Provide foundation for pen-based user interface research and development
- Learn to critique research papers
- Speaking and presentation skills
- Start of master's projects and PhD dissertations
- Possible publications
 - Graphics Interface 2013
 - Sketch-based Interfaces and Modeling 2013
 - User Interface Software and Technology 2013
 - SIGGRAPH 2013

Reference Books



Grading

| | |
|---------------------|-----|
| Assignment 1 | 10% |
| Assignment 2 | 10% |
| Assignment 3 | 10% |
| Assignment 4 | 10% |
| Paper discussion | 5% |
| Paper presentations | 5% |
| Final Project | 50% |

Final Projects

- Encourage 2 person teams
- Must have research component
- Everyone must write and get approved a project proposal
- DEMO DAY!!!! – December 10, 2012
- More on Wednesday – August 22nd

Class Structure (see syllabus for details)

- Lectures
 - fundamentals of pen computing
 - sketch-based interfaces
- Paper discussions
 - 3 or 4 papers
 - students lead discussion
- Student paper presentation
 - 25 minute presentation
- Final project update sessions

Tools

- Tablet PC lab – Harris 208
 - will meet there sometimes
 - 12 HP Tablet PCs
 - 2.3 GHz I-5
 - 4GB memory
 - Windows 7
 - key access to room
- Visual Studio 2010
 - C#
 - Windows Presentation Foundation 4



starPad SDK



www.starpad.org

Collaboration and Late Policy


- Collaboration encouraged
 - do your own work on assignments
 - cheating = BAD!!!
- All assignments must be handed in on time
 - assignments – by 11:59pm on due date

Sketching and Gestures

- What is Sketching?
 - to make a hasty or undetailed drawing or painting often made as a preliminary study (dictionary)
- What is a Gesture?
 - the act of moving the limbs or body as an expression of thought or emphasis (dictionary)
 - not focusing on this type of gesture
 - interested in 2D pen, finger, and mouse-based gestures
- Gestures are like simple sketches


Pen-Based Interfaces

- Interaction stylus (2D) or finger
- Strokes for the computer to interpret
 - commands (gestural UI)
 - drawings
 - symbols, words, mathematics
- Mimic pencil and paper
- Inference and ambiguity




[\(ChemPad 2007\)](#)


Historical Perspective (60s and 70s)




SketchPad (Sutherland 1963)




Architecture-By-Yourself
(Weinzapfel & Negroponce 1976)



HUNCH
(Herot 1976)



Math Reco (Anderson 1967)



Logic Diagrams
(Sutherland 1966)

Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Historical Perspective (80s and 90s)



Wang Freestyle (1988)




GRIDPad (1989)



PenWindows (1991)



GO +PenPoint
(1991)



Slate (1992)



Newton (1993)



**Palm Pilot's
Graffiti** (1994)



CrossPad (1999)



Anoto
(1999)

Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

RIP – (adapted from Bill Buxton)

+

Freestyle

+

Grid

+

Pen for Windows

+

GO

+

Slate

+

Newton



ABCDEF
GHIJK
Palm Pilot's
Graffiti (1994)

+

Crosspad



Anoto
(1999)

Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Today

- Much improved hardware support
 - Tablet PC
 - Digitizers
 - Wacom Cintiq
 - Smartboard
- Much improved software support
 - Tablet SDK
 - handwriting recognition
 - speech recognition
 - character recognizers
- Better recognition algorithms
 - machine learning (use those cycles!)



Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.


Moving Forward

- Multi-touch is now the rage

- large screens
- laptops (Windows 7)
- iPad

- Interesting questions

- killer app?
- what is multi-touch good for?
- how to integrate pen and multi-touch together?




Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

A Sketch Input Continuum



Ambiguity level refers to sketch interpretation difficulty and domain generality

Fall 2012


CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Pen-Based Applications

- 2D/3D Graphics
- UI Prototyping
- Animation
- Note Taking/Annotation
- Symbol/Word/Math Recognition
- Mathematical Sketching
- Etc...

Conceptual 2D Design



(Gross 1994)


Musical Score Creation



Music NotePad


(Forsberg et al. 1998)

User Interface Prototyping




SILK (Landay and Myers 1995)

Simulation




Sim-U-Sketch
(Kara and Stahovich 2004)




VibroSketch
(Kara et al. 2004)

Mathematical Sketching




(LaViola and Zeleznik 2004)




Electronic Whiteboard Systems

Tivoli
(Pedersen et al. 1993)



Flatland
(Mynatt et al. 1999)

Animation



Motion Doodles
(Thorne et al. 2004)

Pen UI Resources (1)

- Siggraph 2007 course notes
- EG Symposium on Sketch-Based Interfaces and Modeling
- Sketch-based interface project web pages
- Microsoft Center for Research on Pen-Centric Computing website
 - <http://graphics.cs.brown.edu/research/pcc/home.html>
- Various other conferences (UIST, CHI, SIGGRAPH)
- Check course website for links

Pen UI Resources (2)

Sketch Understanding

Papers from 2002 AAAI Spring Symposium

Randall Davis, James Landay, and Tom Stahovich, *Program Cochairs*

Technical Report SS-02-08

Published by The AAAI Press, Menlo Park, California

see <http://www.aaai.org/Library/Symposia/Spring/ss02-08.php>

Making Pen-Based Interaction Intelligent and Natural

Papers from the 2004 AAAI Fall Symposium

Randall Davis, James Landay, Tom Stahovich, Rob Miller, and



Eric Saund *Program Cochairs*

Technical Report FS-04-06

Published by The AAAI Press, Menlo Park, California

see <http://www.aaai.org/Library/Symposia/Fall/fs04-06.php>

Recognition



MathPad²

rationale.csail.mit.edu/project_earlyprocess.shtml

Resolving Ambiguity


- Difficult problem
- Focal point of research
- Many approaches
 - limiting the domain
 - underlying rules and knowledge
 - suggestive interface

12 log

Self-Disclosure

How do we interact with this application?


What are the commands?



How many commands are there?

Where do I begin?

Pen-Based Interface Dataflow



Representing Data

- Points and strokes

$$s = p_1 p_2 \dots p_n$$


where

$$p_i = (x_i, y_i, t_i), 1 \leq i \leq n$$

$$S = s_1 s_2 \dots s_m$$

- Image

- pixel matrix
- not as popular



Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Preprocessing

- Often required to clean raw data

- Filtering and Smoothing


- Stroke Invariance

- scale
- position
- orientation

- Dehooking



Normal view of stroke



Zoomed in view of stroke showing unwanted cusps and self-intersections

Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Segmentation

- Determine which strokes go together
- Determine which strokes should be apart
- Can be done in real-time or in batch
- Often uses proximity and timing information

$$y = \frac{1}{2} x^2$$
$$y = x^2 e^{-\frac{1}{2}t}$$



Feature Extraction and Analysis

- Want to distinguish sketch components from one another
- Good features are critical
- Extract important information
 - geometrical, statistical, contextual
- Examples include
 - arc length, histograms, cusps, aspect ratio
 - self-intersections, stroke area, etc...

Classification

- Use features as input to a classification algorithm
 - recognize sketch components and gestures
- Can be simple as an FSA
- Commonly use machine learning algorithms
 - linear classifiers, neural networks, HMMs, SVMs
 - AdaBoost, K-means classifiers, etc...
- Algorithm choice dependent on problem

Sketch Parsing

- Often recognition of strokes is insufficient
 - except for gestures
- Require an understanding of spatial relationships
 - good examples are mathematical expressions
- Higher level classifications
 - is it a word or a drawing?

$$y = \begin{cases} 5t : x < \frac{1}{2} \\ t^2 : \text{else} \end{cases}$$



www.engr.ucr.edu/~stahov/research/acsparc.htm

Making Inferences

- Sketches are often insufficient for understanding
 - can be under- or over-constrained
- Can infer based on
 - context
 - domain knowledge
 - domain restrictions
 - stroke location

Fall 2012

CAP 6105 – Pen-Based User Interfaces


©Joseph J. LaViola Jr.

Sketch Understanding

- Understanding a sketch/recognizing a gesture is only half the battle
- What do we do with it?



[VibroSketch](#) Sketch Understanding
(Kara, Gennari, Stahovich 2004)



[Kirchoff's Pen](#) (de Silva et al. 2007)

Fall 2012

CAP 6105 – Pen-Based User Interfaces

©Joseph J. LaViola Jr.

Next Class – Discussion

- Final Project Ideas
- Readings
 - Sutherland, I. SketchPad: A Man-Machine Graphical Communication System, Proceedings of AFIPS Spring Joint Computer Conference, 329-346, 1963.
 - Blackwell, F. and R. Anderson. An on-line symbolic mathematics system using hand-printed two-dimensional notation. Proceedings of the 1969 24th National Conference, 551-557, 1969.
 - Herot, C. Graphical Input Through Machine Recognition of Sketches, Proceedings of SIGGRAPH'76, 97-102, 1976.