

# 3D User Interface Hardware

Lecture #7: Input Devices

Spring 2011


Joseph J. LaViola Jr.

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Interaction Workflow



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Lecture Outline

- Input device characteristics
- Desktop devices
- Tracking devices
  - position
  - eye
  - gloves
- 3D mice
- Direct human input
- Building special input devices


Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Input Devices

- Hardware that allows the user to communicate with the system
- Input device vs. interaction technique
- Single device can implement many ITs



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Input Device Characteristics

- Degrees of Freedom (DOFs) & DOF composition (integral vs. separable)
- Type of electronics: Digital vs. analog
- Range of reported values: discrete/continuous/hybrid
- Data type of reported values: Boolean vs. integer vs. floating point

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## More Input Device Characteristics

- User action required: active/passive/hybrid
- Method of providing information: “push” vs. “pull”
- Intended use: locator, valuator, choice, ...
- Frame of reference: relative vs. absolute
- Properties sensed: position, motion, force, ...

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality


©Joseph J. LaViola Jr.

## Desktop Devices: Keyboards

- Chord keyboards
- Arm-mounted keyboards
- "Soft" keyboards (logical devices)



[www.virtual-laser-keyboard.com](http://www.virtual-laser-keyboard.com)



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Desktop Devices: Mice and TrackBalls

- Many varieties
- 2D input to 3DUI
- Relative devices




Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Desktop Devices: Pen-based Tablets

- Absolute 2D device
- Either direct or indirect



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Desktop Devices: Joysticks

- Isotonic vs. Isometric



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Desktop Devices: 6-DOF Devices

- 6 DOFs without tracking
- Often isometric
- SpaceBall, SpaceMouse, SpaceOrb



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tracking Devices: Position Trackers

- Measure position and/or orientation of a sensor
- Degrees of freedom (DOFs)
- Most VEs track the head
  - motion parallax
  - natural viewing
- Types of trackers
  - magnetic
  - mechanical
  - acoustic
  - inertial
  - vision/camera
  - hybrids

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Other Uses For Trackers

- Track hands, feet, etc.
  - “whole body” interaction
  - motion capture application
- Correspondence between physical/virtual objects
  - props
  - spatial input devices

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tracking Physical Objects (Props)



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Magnetic Trackers

- Example: Ascension Bird
- Advantages
  - good range
  - no line of sight issues
  - moderately priced
- Disadvantages
  - metal or conductive material will distort the magnetic field
  - magnetic field can interfere with nearby monitors



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Mechanical Trackers

- Example: Fakespace BOOM tracker
- Advantages
  - low latency
  - very accurate
- Disadvantages
  - big and bulky
  - usually only one sensor
  - reduced mobility
  - expensive

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.



# Acoustic Trackers

- Example: Logitech Fly Mouse
- Also known as ultrasonic tracking
- Advantages
  - no interference with metal
  - relatively inexpensive
- Disadvantages
  - line of sight issues
  - sensitive to certain noises



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Inertial Tracking

- Example: InterSense IS300, Wiimote
- Advantages
  - no interference with metal
  - long range
  - no need for transmitter
- Disadvantages
  - subject to error accumulation
  - only track orientation





Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Optical/Vision-based trackers

- Exs: Vicon, HiBall, ARToolkit
- Advantages
  - accurate
  - can capture a large volume
  - allow for untethered tracking
- Disadvantages
  - image processing techniques
  - occlusion problem



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Hybrid Tracking

- Example InterSense IS900
- Advantages
  - puts two or more technologies together to improve accuracy, reduce latency, etc...
- Disadvantages
  - adds complexity



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tracking Devices: Eye Tracking



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tracking Devices: Bend-Sensing Gloves

- CyberGlove, 5DT
- Reports hand posture
- Gesture:
  - single posture
  - series of postures
  - posture(s) + location or motion



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tracking Devices: Pinch Gloves

- Conductive cloth at fingertips
- Any gesture of 2 to 10 fingers, plus combinations of gestures
- > 115,000 gestures



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## 3D Mice

- Ring Mouse
- Fly Mouse
- Wand
- Cubic Mouse
- Dragonfly
- ...




Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# ShapeTape




Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Human Input: Speech

- Frees hands
- Allows multimodal input
- No special hardware
- Specialized software
- Issues: recognition, ambient noise, training, false positives, ...



<http://www.lindamoran.net/images/yelling.jpg>

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Human Input: Bioelectric Control




Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Human Input: Body Sensing



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## More Human Input

- Breathing device - OSMOSE
- Brain-body actuated control
  - muscle movements
  - thoughts!



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Why Build 3D UI Devices?

- Assist in designing new interaction techniques
- Improve upon existing techniques
- Provide interfaces for specific 3D interactions and applications
- Give users more expressive power
- Develop new interaction styles
- Develop new and improved 3D interface hardware
- Fun!!!!



<http://www.uni-weimar.de/cms/medien/virtual-reality/research/interfaces/input-device-and-interaction-techniques.html>

<http://www.labri.fr/perso/hachet/CAT/>

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Tools of the Trade

- Sensors, buttons, switches, controllers, etc...



[www.futurlec.com](http://www.futurlec.com)

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## 3D Input Device Building Strategies

- Device function
  - What will the device sense?
    - force
    - motion
    - button presses
  - what physical device types are required?
    - need to choose appropriate sensors
      - digital/analog
      - pressure, bend, potentiometers, thermistors
    - conductive cloth (great sensing material)
- Sensor housing
  - How will sensors be placed in the physical device?
    - physical constraints
    - physical comfort
  - How to build the housing?
    - milling machine
    - vacuform device
    - 3D printer
    - Lego bricks
    - modeling clay



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.



# Device Ergonomics

- Good ergonomic design is crucial
  - device housing
  - control types
- Issues to consider
  - device should be lightweight
  - avoid fatigue
  - simple to use
  - easy to reach buttons and controls
  - avoid undue strain
  - don't want to cause user pain

CyberGrasp by Immersion



<http://www.it.bton.ac.uk/staff/lp22/CS133/haptics.html>


Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Connecting Devices to the Computer

- Need to connect device to the computer
  - USB
  - serial port
  - Bluetooth
- Often need a microcontroller (not always)
  - small computer that can interface with other electronic components
  - PIC ([www.microchip.com](http://www.microchip.com))
  - BasicX-24 -- easy to use
    - programming in Basic
    - has nice development kit
- A typical approach
  - build electronics with prototyping board
  - write code in IDE and download to board
  - test and debug
  - put electronics on circuit board
  - write device driver



[www.basicx.com](http://www.basicx.com)

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Software for the Device

- Need to have software to use device in applications
- Several strategies
  - write driver from scratch
    - need to know something about OS – low level support functions
    - understanding of serial/USB communication protocols
    - typical functions – open, close, read, write
    - plug into API
  - utilize existing software – provide drivers for many devices and machinery to create new ones
    - VRPN – developed at U. North Carolina
    - VRJuggler – developed at Iowa State
  - interface device toolkits
    - Phidgets
    - I-CubeX

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Case Study 1 – Interaction Slippers

- Providing more powerful methods of expression
- Offload functionality to the user's feet
- Input Device
  - pair of commercial house slippers
  - embedded Logitech Trackman Live!™ – wireless trackball
  - conductive cloth
- Allows for toe and heel tapping
- Interact with the Step WIM
  - miniature version of the world place on the floor
  - toe tap to invoke the WIM



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Case Study 2 – Reinventing the Pinch™ Glove

- Pinch Gloves
  - determines if two or more fingertips are touching
  - uses conductive cloth
  - designed for pinching and grabbing gestures
  - at the time \$2000
  - had problems with reliability
- Wanted to build custom device
  - less expensive (\$200)
  - more flexibility
    - not just pinching gestures
    - plug-n-play
    - allow for a variety of switches



[www.fakespacelabs.com](http://www.fakespacelabs.com)



Conductive Cloth Button


Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Flex and Pinch Input

- Dealing with input device limitations
  - bend sensing gloves vs. pinch gloves
  - improve existing interaction techniques
- Input Device
  - 16 conductive cloth contacts
  - used with bend sensing glove
  - Can be placed anywhere
- Improve image plane interaction techniques
  - allow user to activate selection with primary hand
  - multiple flex button configurations




Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# CavePainting Table

- Improve a specific application
  - explore prop-based interaction
  - used for painting 3D scenes
- Input Device
  - tracked paint brush
  - paint cup props
    - uses conductive cloth
  - bucket Tool
  - misc. knobs and switches
- Hold down brush button to paint
- Dip paint brush into paint cups to change strokes
- Use bucket to throw paint



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# FingerSleeve

- Inspiration for creating novel interaction techniques
- Pop through buttons
  - use light and firm pressure
- Input Device
  - worn on index finger
  - made from elastic fabric and flexible plastic
  - 6 DOF tracker attached to the back of the sleeve
  - interesting design issues with button style and placement
- Principle
  - light pressure used for temporary action
  - actions confirmed by firm pressure
- ZoomBack Technique
  - temporary and permanent travel
- Snapshot Technique



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## Case Study 3 – 3motion

- 3D gesture interaction system
  - developed by Keir et al. 2005, Digital Design Studio, Glasgow School of Art
  - designed as inexpensive tracking solution
  - used for gesture tracking
- Components
  - single chip 3-axis linear accelerometer
  - several buttons
  - wireless bluetooth communication
  - software SDK
- Tested in gaming environment and character manipulator
- Used on cell phone to play virtual golf
- Can you say, "Wii"?



<http://research.navisto.ch/publications.html>

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

## From Lab to Production (1)

Chord Gloves  
Mapes and Moshell (1995)



Pinch™ Gloves  
By Fakespace

Cubic Mouse



Fröhlich and Plate (2000)



Cubic Mouse  
By Fakespace

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality


©Joseph J. LaViola Jr.

# From Lab to Production (2)

The CAT (Computer Action Table)



Hachet et al. (2003)  
HiBall 6D Tracker



The CAT  
By  
Immersion SAS

[www.immersion.fr](http://www.immersion.fr)



Welch (1996)  
<http://www.cs.unc.edu/~tracker/media/html/hiball.html>



HiBall  
By 3<sup>rd</sup> Tech

<http://www.3rdtech.com/HiBall.htm>

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Prototyping Toolkits – Phidgets

- Phidgets (Greenberg and Fitchett 2001) – building blocks for low cost sensing/control

- uses USB
- clean separation of hardware and software
- simple API
- Don't need to worry about
  - microprocessors
  - communication protocols
  - soldering


- Variety of sensors

- touch
- light
- force
- vibration
- rotation

- Other tools

- accelerometers
- switches
- RFID tags
- etc...

Analog inputs    Digital Inputs



Digital Outputs

[www.phidgets.com](http://www.phidgets.com)



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Prototyping Toolkits – I-CubeX

- I-Cube (Mulder 1995) – uses the Musical Instrument Device Interface (MIDI)
  - MIDI – protocol for communicating control information
  - also uses Bluetooth (wireless)
  - similar advantages to Phidgets
    - no microcontroller programming
    - no circuit design
    - software API
- Variety of Sensors
  - air
  - touch
  - bend
  - temperature
  - magnetic
  - light
  - tilt



infusionsystems.com

3D Acceleration Sensor



Touch Sensor



BioBeat Sensor



Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.

# Next Class

- Selection and Manipulation
- Readings
  - 3DUI Book – Chapter 4

Spring 2011

CAP6121 – 3D User Interfaces for Games and Virtual Reality

©Joseph J. LaViola Jr.